#### Anand's Atlas of Histology



#### Major.Dr.A.Anand

#### ANAND'S ATLAS OF HISTOLOGY

WEB VERSION – 1.0

MAJOR.DR.A.ANAND
DEPARTMENT OF ANATOMY
VMKV MEDICAL COLLEGE
SALEM – 636308
TAMILNADU
INDIA

# THIS ATLAS WILL SERVE AS A RAPID REFERENCE HANDBOOK FOR UNDERGRADUATE MEDICAL STUDENTS AND POSTGRADUATES PRIOR TO EXAMS

THIS BOOK IS A FREE DISTRIBUTION

ANY STUDENT, RESEARCHER, AUTHOR, EDITOR, PUBLISHER DESIROUS OF OBTAINING THE PHOTOGRAPHS WITHOUT WATERMARK PLEASE MAIL ME AT elamsaytesenny@gmail.com

#### THIS BOOK IS DIVIDED INTO TWO SECTIONS

EACH SECTION CONTAINS COLOUR PLATES

#### EACH COLOUR PLATE CONTAINS PICTURES IN 10X AND 40X VIEWS

# EACH COLOUR PLATE IS FOLLOWED BY A FEW IDENTIFICATION POINTS OF THE PICTURE

#### SECTION – 1 = GENERAL HISTOLOGY

#### SECTION - 2 = SYSTEMIC HISTOLOGY

#### SECTION – 1

#### GENERAL HISTOLOGY


#### LIST OF COLOUR PLATES


SMOOTH MUSCLE SKELETAL MUSCLE CARDIAC MUSCLE HYALINE CARTILAGE WHITE FIBROCARTILAGE ELASTIC CARTILAGE COMPACT BONE – LONGITUDINAL SECTION COMPACT BONE – TRANSVERSE SECTION

#### LIST OF COLOUR PLATES

LOOSE AREOLAR TISSUE ADIPOSE TISSUE THICK SKIN THIN SKIN PERIPHERAL NERVE – LONGITUDINAL SECTION PERIPHERAL NERVE – TRANSVERSE SECTION ELASTIC ARTERY MUSCULAR ARTERY LARGE VEIN

#### **SMOOTH MUSCLE**





#### **SMOOTH MUSCLE**


#### POINTS FOR IDENTIFICATION

#### 1. MYOCYTES ARE SPINDLE SHAPED

## 2. MYOCYTES CONTAIN CENTRAL NUCLEUS

#### SKELETAL MUSCLE

# MUSCLE FIBRES DO NOT BRANCH ANAND'S ATLAS OF HISTOLOGY



#### SKELETAL MUSCLE

#### POINTS FOR IDENTIFICATION

- 1. MUSCLE FIBRES DO NOT BRANCH
- 2. NUCLEUS IS LOCATED IN THE PERIPHERY
  - 3. PRESENCE OF CROSS STRIATIONS

#### CARDIAC MUSCLE







#### CARDIAC MUSCLE

#### POINTS FOR IDENTIFICATION

- 1. MUSCLE FIBRES ARE BRANCHING
- 2. NUCLEUS IS CENTRALLY PLACED
- 3. PRESENCE OF INTERCALATED DISC

#### HYALINE CARTILAGE





#### HYALINE CARTILAGE

#### POINTS FOR IDENTIFICATION

- 1.PRESENCE OF PERICHONDRIUM
  2. PRESENCE OF CELL NESTS
  3. PRESENCE OF CHONDROCYTES IN CELL
  NESTS
  - 4. MATRIX CONTAINS COLLAGEN FIBRES

#### WHITE FIBRO CARTILAGE

COLLAGEN FIBRES



CHONDROCYTE





#### WHITE FIBRO CARTILAGE

#### POINTS FOR IDENTIFICATION

1. ABSENCE OF PERICHONDRIUM
2. CHONDROCYTES ARE SEEN
ARRANGED IN ROWS
3. MATRIX IS MADE OF COLLAGEN
FIBRES

#### ELASTIC CARTILAGE









#### ELASTIC CARTILAGE

#### POINTS FOR IDENTIFICATION

- 1. CHONDROCYTES ARE PRESENT IN LACUNAE
- 2. MATRIX IS MADE OF ELASTIC FIBRES
  PREDOMINANTLY
  3. PERICHONDRIUM IS PRESENT

## COMPACT BONE – LONGITUDINAL SECTION







## COMPACT BONE - LONGITUDINAL SECTION

#### POINTS FOR IDENTIFICATION

1. OSTEONS ARE SEEN ARRANGED IN
COLUMNS
2. VOLKMAN'S CANALS CONNECT
HAVERSIAN CANALS WITH THE PERIOSTEUM

# COMPACT BONE – TRANSVERSE SECTION






# COMPACT BONE – TRANSVERSE SECTION

#### POINTS FOR IDENTIFICATION

- 1. CONCENTRIC LAMELLAR ARRANGEMENT OF OSTEONS
  - 2. INTERSTITIAL LAMELLAE IS SEEN
  - 3. PRESENCE OF HAVERSIAN CANAL

### LOOSE AREOLAR TISSUE



#### COLLAGEN FIBRE

FIBROBLAST





#### LOOSE AREOLAR TISSUE

#### POINTS FOR IDENTIFICATION

# 1. LOOSELY ARRANGED COLLAGEN FIBRES ARE SEEN 2. FIBROBLASTS ARE SEEN

# ADIPOSE TISSUE







#### ADIPOSE TISSUE

#### POINTS FOR IDENTIFICATION

1. ADIPOCYTES ARE SEEN
2. NUCLEUS OF THE ADIPOCYTE IS PUSHED
TO THE PERIPHERY
3. CYTOPLASM APPEARS AS A PINK RIM

## THICK SKIN





#### THICK SKIN

#### POINTS FOR IDENTIFICATION

- 1. LINED BY STRATIFIED SQUAMOUS EPITHELIUM 2. PRESENCE OF KERATIN LAYER
  - 3. EPIDERMAL PROJECTIONS INTO DERMIS ARE
    - EPIDERMAL PAPILLAE
  - 4. DERMAL PROJECTIONS INTO EPIDERMIS ARE DERMAL PAPILLAE

## THIN SKIN

# STRATIFIED SQUAMOUS KERATINISED EPITHELIUM HAIR FOLLICLE KERATIN LAYER


# STRATIFIED SQUAMOUS KERATINISED EPITHELIUM HAIR ROOT ANAND'S ATLAS OF HISTOLOGY


#### THIN SKIN

#### POINTS FOR IDENTIFICATION

1. PRESENCE OF HAIR FOLLICLE
2. LINED BY STRATIFIED SQUAMOUS
KERATINISED EPITHELIUM
3. PRESENCE OF DERMIS AND
EPIDERMIS








## PERIPHERAL NERVE – LONGITUDINAL SECTION

#### POINTS FOR IDENTIFICATION

1. CUT SECTIONS OF AXONS ARE SEEN
2. AXONS ARE LINED BY MYELIN SHEATH
3. NODES OF RANVIER ARE SEEN

# PERIPHERAL NERVE – TRANSVERSE SECTION







# PERIPHERAL NERVE – TRANSVERSE SECTION

#### POINTS FOR IDENTIFICATION

# 1. CUT SECTION OF NERVE FIBRE BUNDLES ARE SEEN 2. PERINEURIUM IS SEEN

# **ELASTIC ARTERY**






#### **ELASTIC ARTERY**

#### POINTS FOR IDENTIFICATION

CONSISTS OF THREE LAYERS, TUNICA INTIMA, TUNICA MEDIA AND TUNICA ADVENTITIA FROM INSIDE TO OUTSIDE 2. TUNICA MEDIA IS LARGE
 TUNICA MEDIA PREDOMINANTLY CONSISTS OF ELASTIC FIBRES

## **MUSCULAR ARTERY**







#### **MUSCULAR ARTERY**

#### POINTS FOR IDENTIFICATION

1. CONSISTS OF THREE LAYERS, TUNICA INTIMA,
TUNICA MEDIA AND TUNICA ADVENTITIA FROM
INSIDE TO OUTSIDE
2. TUNICA MEDIA IS LARGE
3. TUNICA MEDIA PREDOMINANTLY CONSISTS OF
SMOOTH MUSCLE FIBRES

# LARGE VEIN





#### LARGE VEIN

#### POINTS FOR IDENTIFICATION

- 1. CONSISTS OF THREE LAYERS, TUNICA INTIMA, TUNICA MEDIA AND TUNICA ADVENTITIA FROM INSIDE TO OUTSIDE
  - 2. TUNICA ADVENTITIA IS LARGE
  - 3. TUNICA ADVENTITIA PREDOMINANTLY CONSISTS OF SMOOTH MUSCLE FIBRES AND COLLAGEN FIBRES

#### SECTION – 2

#### SYSTEMIC HISTOLOGY

#### LIST OF SYSTEMS

LYMPHATIC SYSTEM
DIGESTIVE SYSTEM
RESPIRATORY SYSTEM
EXCRETORY SYSTEM
REPRODUCTIVE SYSTEM – MALE
REPRODUCTIVE SYSTEM – FEMALE

#### LIST OF SYSTEMS


# ENDOCRINE SYSTEM SPECIAL SENSORY ORGANS CENTRAL NERVOUS SYTEM


#### LYMPHATIC SYSTEM

#### LIST OF COLOUR PLATES

# LYMPH NODE SPLEEN TONSIL THYMUS

### LYMPH NODE







#### LYMPH NODE

#### POINTS FOR IDENTIFICATION

1.PRESENCE OF CORTEX AND MEDULLA 2.PRESENCE OF LYMPHATIC FOLLICLES 3.MEDULLA IS MADE UP OF LYMPHOCYTES ARRANGED AS MEDULLARY CORDS AND SEPARATED BY MEDULLARY SINUSES

# **SPLEEN**






#### **SPLEEN**

# POINTS FOR IDENTIFICATION

1. OUTER CAPSULE SENDS IN THICK SEPTAE 2. PRESENCE OF RED PULP 3. PRESENCE OF WHITE PULP

# **TONSIL**







#### TONSIL

#### POINTS FOR IDENTIFICATION

 SECTION IS OF PALATINE TONSIL
 IT IS LINED BY STRATIFIED SQUAMOUS NON KERATINISED EPITHELIUM
 PRESENCE OF LYMPHATIC FOLLICLE
 PRESENCE OF TONSILLAR CRYPT

# **THYMUS**





#### **THYMUS**

#### POINTS FOR IDENTIFICATION

- 1. THYMUS IS DIVIDED INTO LOBES
- 2. EACH LOBE HAS A CORTEX AND A MEDULLA
- 3. CORTEX IS PACKED WITH LYMPHOCYTES
  - 4. MEDULLA CONTAINS CORPUSCLES OF HASSAL

#### LIST OF COLOUR PLATES

TONGUE – FILIFORM PAPILLAE
TONGUE – FUNGIFORM PAPILLAE
TONGUE – CIRCUMVALLATE PAPILLAE
SEROUS SALIVARY GLAND
MUCOUS SALIVARY GLAND
MIXED SALIVARY GLAND

#### LIST OF COLOUR PLATES

TONGUE – FILIFORM PAPILLAE
TONGUE – FUNGIFORM PAPILLAE
TONGUE – CIRCUMVALLATE PAPILLAE
SEROUS SALIVARY GLAND
MUCOUS SALIVARY GLAND
MIXED SALIVARY GLAND

#### LIST OF COLOUR PLATES

OESOPHAGUS
STOMACH – FUNDUS
STOMACH – PYLORUS
DUODENUM
JEJUNUM
ILEUM

#### LIST OF COLOUR PLATES

# VERMIFORM APPENDIX LARGE INTESTINE ( COLON ) LIVER GALL BLADDER PANCREAS

#### TONGUE – FILIFORM PAPILLAE

#### STRATIFIED SQUAMOUS KERATINISED EPITHELIUM

SHARP CONICAL TIP

FILIFORM PAPILLA

#### TIP IS KERATINISED





#### TONGUE - FILIFORM PAPILLAE

#### POINTS FOR IDENTIFICATION

# 1. LINED BY STRATIFIED SQUAMOUS KERATINISED EPITHELIUM 2. TIPS ARE KERATINISED 3. SHARP CONICAL APPEARANCE

#### TONGUE – FUNGIFORM PAPILLA





#### TONGUE – FUNGIFORM PAPILLAE

#### POINTS FOR IDENTIFICATION


# 1. LINED BY STRATIFIED SQUAMOUS NON KERATINISED EPITHELIUM 2. PRESENCE OF TASTE BUDS




FUNGIFORM PAPILLAE IS USUALLY NON KERATINISED STRATIFIED SQUAMOUS EPITHELIUM. HOWEVER IN SOME CASES THE EPITHELIUM CAN BE KERATINISED AS SHOWN IN THE PICTURE HOWEVER TO DIFFERENTIATE IT FROM FILIFORM PAPILLAE THERE WOULD BE TASTE BUDS

# TONGUE - CIRCUMVALLATE PAPILLAE

STRATIFIED SQUAMOUS NON KERATINISED EPITHELIUM







## TONGUE – CIRCUMVALLATE PAPILLAE

#### POINTS FOR IDENTIFICATION

1. LINED BY STRATIFIED SQUAMOUS NON KERATINISED EPITHELIUM
2. PRESENCE OF TASTE BUDS
3. LARGEST OF ALL TONGUE PAPILLAE

## SEROUS SALIVARY GLAND







## SEROUS SALIVARY GLAND

#### POINTS FOR IDENTIFICATION

- 1. SEROUS ACINI ARE PREDOMINANT 2. INTRA LOBULAR DUCTS ARE PRESENT
- 3. SEROUS CELLS ARE PYRAMIDAL IN SHAPE WITH A BASAL NUCLEUS

## **MUCOUS SALIVARY GLAND**






#### MUCOUS SALIVARY GLAND

#### POINTS FOR IDENTIFICATION

1. MUCOUS ACINI ARE
PREDOMINANT
2. INTRALOBULAR DUCTS ARE SEEN
3. MUCOUS ACINI ARE PALE STAINED
WITH FLAT BASAL NUCLEUS

## MIXED SALIVARY GLAND






#### MIXED SALIVARY GLAND

#### POINTS FOR IDENTIFICATION

- 1. BOTH SEROUS AND MUCOUS ACINI ARE PRESENT
- 2. INTRALOBULAR DUCTS ARE SEEN 3. SEROUS DEMILUNES ARE SEEN

## **OESOPHAGUS**





#### **OESOPHAGUS**


#### POINTS FOR IDENTIFICATION

1. LINING EPITHELIUM OF THORACIC PART OF OESOPHAGUS IS STRATIFIED SQUAMOUS NON KERATINISED EPITHELIUM

2. SUBMUCOSA CONTAINS OESOPHAGEAL GLANDS (BOTH SEROUS AND MUCOUS GLANDS)

3. MUSCULAR COAT IS MADE OF SKELETAL MUSCLE IN THE THORACIC PART

## STOMACH - FUNDUS







#### STOMACH - FUNDUS

#### POINTS FOR IDENTIFICATION

1. MUCOSA IS THROWN INTO FOLDS AND LINED BY SIMPLE COLUMNAR EPITHELIUM 2. GASTRIC GLANDS ARE LONG WHEREAS THE GASTRIC PITS ARE SHALLOW 3. GASTRIC GLANDS OPEN INTO THE GASTRIC DITS

## STOMACH - PYLORUS







#### STOMACH - PYLORUS

## POINTS FOR IDENTIFICATION

 GASTRIC FOLDS ARE LONG AND NARROW
 PYLORIC GLANDS ARE SHORTER AND OPEN INTO THE GASTRIC PITS
 MUCOSA IS LINED BY SIMPLE COLUMNAR EPITHELIUM

## **DUODENUM**






#### DUODENUM

#### POINTS FOR IDENTIFICATION

- 1. MUCOSAL FOLDS ARE TERMED AS VILLI
- 2. VILLI ARE LONG AND NUMEROUS
- 3. BRUNNER'S GLANDS ARE SEEN IN SUBMUCOSA

## **JEJUNUM**







#### **JEJUNUM**

#### POINTS FOR IDENTIFICATION

- 1. MUCOSA CONTAINS NUMEROUS GOBLET CELLS
- 2. MICROVILLI ARE PRESENT IN THE LINING EPITHELIUM
- 3. VILLI ARE LONG AND PROMINENT

## **ILEUM**






#### **ILEUM**

#### POINTS FOR IDENTIFICATION

1. VILLI ARE SHORT AND FEW
2. SUB MUCOSA CONTAINS
LYMPHATIC AGGREGATIONS
CALLED AS PEYER'S PATCHES

## **VERMIFORM APPENDIX**




#### VERMIFORM APPENDIX

### POINTS FOR IDENTIFICATION

1. MUCOSA IS LINED BY SIMPLE COLUMNAR EPITHELIUM
2. SUBMUCOSA CONTAINS LYMPHOID AGGREGATIONS
3. GOBLET CELLS ARE SEEN

# LARGE INTESTINE (COLON)







## LARGE INTESTINE (COLON)

#### POINTS FOR IDENTIFICATION

- 1. MUCOSA IS THROWN INTO FOLDS AND CONTAINS NUMEROUS GOBLET CELLS
  2. MUCOSA IS LINED BY SIMPLE COLUMNAR EPITHELIUM
  - 3. MUSCULAR COAT IS THICK AND ARRANGED AS THREE LAYERS

## LIVER





#### LIVER

## POINTS FOR IDENTIFICATION


- 1. HEPATOCYTES ARRANGED IN ROWS RADIATE IN ALL DIRECTIONS FROM THE CENTRAL VEIN
  - 2. SINUSOIDS ARE PRESENT BETWEEN ADJACENT ROWS OF HEPATOCYTES 3. PRESENCE OF PORTAL TRIAD

## GALL BLADDER



FIBROMUSCULAR COAT

SEROSAL COAT





#### GALL BLADDER

### POINTS FOR IDENTIFICATION

1. MUCOSA IS LINED BY TALL
COLUMNAR CELLS WITH MICROVILLI
2. FIBROMUSCULAR COAT IS MADE OF
COLLAGEN FIBRES, SMOOTH MUSCLE
FIBRES AND ELASTIC FIBRES

## **PANCREAS**





#### **PANCREAS**

### POINTS FOR IDENTIFICATION

# 1. EXOCRINE PART SHOWS CENTROACINAR CELLS AND DUCTS 2. ENDOCRINE PART SHOWS ISLETS OF LANGERHANS


## RESPIRATORY SYSTEM


## LIST OF COLOUR PLATES

**TRACHEA** 

LUNG

# **TRACHEA**







#### TRACHEA

### POINTS FOR IDENTIFICATION

1. MUCOSA IS LINED BY
PSEUDOSTRATIFIED CILIATED
COLUMNAR EPITHELIUM
2. PRESENCE OF TRACHEAL GLANDS
3. PRESENCE OF HYALINE CARTILAGE

# LUNG





#### LUNG

### POINTS FOR IDENTIFICATION


1. PRESENCE OF ALVEOLI
2. ALVEOLI ARE LINED BY SIMPLE
SQUAMOUS EPITHELIUM
3. PRESENCE OF ALVEOLAR DUCTS
AND ALVEOLAR SACS

#### **EXCRETORY SYSTEM**


## LIST OF COLOUR PLATES


# KIDNEY URETER URINARY BLADDER

## **KIDNEY**



#### RENAL MEDULLA







#### **KIDNEY**

## POINTS FOR IDENTIFICATION

- 1. CUT SECTION OF KIDNEY SHOWS RENAL CORTEX AND RENAL MEDULLA
  - 2. RENAL CORTEX SHOWS CUT SECTIONS OF RENAL CORPUSCLES, PROXIMAL AND DISTAL CONVOLUTED TUBULES
- 3. RENAL MEDULLA SHOWS CUT SECTIONS OF COLLECTING DUCTS PROJECTING INTO THE CORTEX AS MEDULLARY RAYS

# URETER







#### URETER

### POINTS FOR IDENTIFICATION

1. MUCOSA IS THROWN INTO FOLDS
2. MUCOSA IS LINED BY
TRANSITIONAL CELL EPITHELIUM
3. MUSCULAR COAT IS MADE OF
THREE LAYERS

# URINARY BLADDER





#### URINARY BLADDER

### POINTS FOR IDENTIFICATION

- 1. MUCOSA IS THROWN INTO FOLDS
  2. MUCOSA IS LINED BY TRANSITIONAL CELL
  EPITHELIUM
- 3. MUSCULAR COAT IS VERY THICK AND IS THREE LAYERED, INNER AND OUTER LONGITUDINAL AND MIDDLE CIRCULAR LAYERS


### REPRODUCTIVE SYSTEM – MALE

### LIST OF COLOUR PLATES

TESTIS
EPIDIDYMIS
VAS DEFERENS
PROSTATE GLAND
SEMINAL VESICLE

# **TESTIS**

**CUT SECTIONS OF** SPERMS AT VARIOUS SEMINIFEROUS TUBULES STAGES OF MATURATION ANAND'S ATLAS OF HISTOLOGY





#### TESTIS

### POINTS FOR IDENTIFICATION

- 1. CUT SECTIONS OF SEMINIFEROUS TUBULES ARE SEEN
- 2. SPERMS AT VARIOUS STAGES OF MATURATION CAN BE SEEN IN THE LUMEN
- 3. SERTOLI CELLS WHICH PROVIDE NOURISHMENT TO DEVELOPING SPERM IS ALSO SEEN

# **EPIDIDYMIS**






#### **EPIDIDYMIS**

### POINTS FOR IDENTIFICATION

1. CUT SECTIONS OF EPIDIDYMIS ARE SEEN
2. SPERMS CAN BE SEEN IN THE LUMEN
3. LINING EPITHELIUM IS PSEUDOSTRATIFIED
COLUMNAR WITH APICAL MICROVILLI TERMED AS
STEREOCILIA

# VAS DEFERENS

MUCOSA LUMEN MUSCULAR COAT ANAND'S ATLAS OF HISTOLOGY





# VAS DEFERENS

### POINTS FOR IDENTIFICATION

1. MUCOSA IS THROWN INTO FOLDS
2. LINED BY PSEUDOSTRATIFIED
COLUMNAR EPITHELIUM WITH
STEREOCILIA
3. MUSCULAR COAT IS THICK

# PROSTATE GLAND






### PROSTATE GLAND

# POINTS FOR IDENTIFICATION

- 1. PROSTATIC FOLLICLES ARE SEEN IN GLANDULAR TISSUE 2. FOLLICLES ARE EMBEDDED IN A FIBROMUSCULAR STROMA
  - 3. AMYLOID MATERIAL IS SEEN WITHIN THE FOLLICLE
    4. FOLLICLE IS LAYERED BY PSEUDOSTRATIFIED
    EPITHELIUM OCCASIONALLY EPITHELIUM CAN BE
    BILAYERED

# SEMINAL VESICLE





# SEMINAL VESICLE

### POINTS FOR IDENTIFICATION

1. TUBULAR APPEARANCE WITH PRESENCE OF DIVERTICULAE
2. DIVERTICULAE ARE LINED BY PSEUDOSTRATIFIED EPITHELIUM
3. PRESENCE OF LUMEN


### REPRODUCTIVE SYSTEM – FEMALE

### LIST OF COLOUR PLATES

FALLOPIAN TUBE
OVARY
MAMMARY GLAND
PLACENTA

# **UTERUS**

PERIMETRIUM ENDOMETRIUM MYOMETRIUM ANAND'S ATLAS OF HISTOLOGY





#### **UTERUS**

#### POINTS FOR IDENTIFICATION

1. UTERINE WALL IS MADE OF THREE LAYERS
FROM INSIDE TO OUTSIDE ENDOMETRIUM,
MYOMETRIUM AND PERIMETRIUM
2. PRESENCE OF UTERINE GLANDS IN
ENDOMETRIUM
3. ENDOMETRIAL EPITHELIAL LINING IS
COLUMNAR EPITHELIUM

### FALLOPIAN TUBE (UTERINE TUBE)







#### **FALLOPIAN TUBE**

#### POINTS FOR IDENTIFICATION

1. MUCOSA IS THROWN INTO FOLDS AND IS LINED BY CILIATED COLUMNAR EPITHELIUM 2. SECRETORY CELLS (PEG CELLS) USUALLY PROJECT IN THE LUMEN

#### MAMMARY GLAND







#### MAMMARY GLAND


#### POINTS FOR IDENTIFICATION

- 1. CUT SECTION SHOWS GLANDULAR LOBULES
- 2. GLANDS ARE OF RACEMOSE TYPE
  3. MYOEPITHELIAL CELLS ARE SEEN AT THE
  BASE OF DUCTS
  - 4. SOME LARGER DUCTS ARE BILAYERED

#### **OVARY**









#### OVARY

#### POINTS FOR IDENTIFICATION

1. PRESENCE OF CORTEX AND MEDULLA
2. OOCYTES ARE SEEN IN VARIOUS STAGES
OF MATURATION
3. GRAFFIAN FOLLICLE IS SEEN
4. ATRETIC FOLLICLES ARE SEEN IN THE
OVARIAN MEDULLA

#### **PLACENTA**





#### PLACENTA

#### POINTS FOR IDENTIFICATION


# 1. PRESENCE OF VILLI 2. CYTOTROPHOBLASTS AND SYNCYTIOTROPHOBLASTS ARE SEEN 3. INTERVILLOUS SPACES ARE SEEN


#### ENDOCRINE SYSTEM

#### LIST OF COLOUR PLATES

## THYROID GLAND PARATHYROID GLAND PITUITARY GLAND ADRENAL GLAND

#### THYROID GLAND







#### THYROID GLAND

#### POINTS FOR IDENTIFICATION

- 1. CUT SECTION OF THYROID GLAND SHOWS THYROID FOLLICLES
- 2. FOLLICULAR CAVITY CONTAINS COLLOID MATERIAL
- 3. LINING EPITHELIUM OF FOLLICLE IS SIMPLE CUBOIDAL WHEN THERE IS MODERATE AMOUNT OF COLLOID

#### PARATHYROID GLAND







#### PARATHYROID GLAND


#### POINTS FOR IDENTIFICATION

- 1. CUT SECTION SHOWS CHIEF CELLS AND OXYPHIL CELLS WHICH ARE ARRANGED IN CORDS
- 2. CHIEF CELLS ARE SMALL ROUNDED CELLS WITH VESICULAR NUCLEI
- 3. OXYPHIL CELLS ARE LARGE AND POLYHEDRAL

#### PITUITARY GLAND









#### PITUITARY GLAND


#### POINTS FOR IDENTIFICATION


- 1. CUT SECTION SHOWS PARS ANTERIOR, PARS
  POSTERIOR AND PARS INTERMEDIA
  2. PARS ANTERIOR SHOWS CHROMOPHOBES AND
  CHROMOPHILS
  - 3. PARS POSTERIOR SHOWS UNMYELINATED NERVE FIBRES AND PITUICYTES

### ADRENAL GLAND (SUPRA RENAL GLAND)









# ADRENAL GLAND (SUPRA RENAL)

## POINTS FOR IDENTIFICATION

1. PRESENCE OF CORTEX AND MEDULLA
2. ADRENAL CORTEX IS MADE OF THREE LAYERS – ZONA
GLOMERULOSA, ZONA FASCICULATA, ZONA RETICULARIS
3. ZONA GLOMERULOSA IS MADE OF SMALL POLYHEDRAL
CELLS IN A ROUNDED CLUSTER
4. ZONA FASCICULATA IS MADE OF COLUMNS OF CELLS
SEPARATED BY SINUSOIDS
5. ZONA RETICULARIS CELLS ARE ARRANGED AS
ANASTOMOSING CORDS

# ADRENAL GLAND (SUPRA RENAL)

## POINTS FOR IDENTIFICATION

6. ADRENAL MEDULLA IS MADE OF GROUPS OF CHROMAFFIN CELLS EMBEDDED IN A NETWORK OF RETICULAR FIBRES AND SEPARATED BY WIDE SINUSOIDS


### SPECIAL SENSORY ORGANS


### VISION

## LIST OF COLOUR PLATES

CORNEA
RETINA
LACRIMAL GLAND
EYELID

## **CORNEA**







### **CORNEA**

## POINTS FOR IDENTIFICATION

- 1. ANTERIOR EPITHELIUM IS MADE UP OF STRATIFIED SQUAMOUS NON KERATINISED EPITHELIUM
- 2. CORNEAL STROMA IS MADE OF REGULARLY ARRANGED COLLAGEN FIBRES
  - 3. POSTERIOR ENDOTHELIUM IS SIMPLE SQUAMOUS EPITHELIUM

## **RETINA**





#### RETINA

## POINTS FOR IDENTIFICATION

1. MADE UP OF 10 LAYERS


2. PRESENCE OF LAYER OF RODS AND CONES


3. PRESENCE OF GANGLIONIC CELL LAYER

4. PRESENCE OF LAYER OF OPTIC NERVE

FIBRES

## LACRIMAL GLAND






## LACRIMAL GLAND

### POINT FOR IDENTIFICATION

- 1. CUT SECTION SHOWS LOBULATED GLAND
  - 2. LOBULE SHOWS TUBULOACINAR CELLS
- 3. PRESENCE OF INTERLOBULAR SEPTA

## **EYELID**





#### EYELID

## POINTS FOR IDENTIFICATION


1. EPITHELIUM IS STRATIFIED
SQUAMOUS KERATINISED
EPITHELIUM
2. PRESENCE OF TARSAL GLANDS
3. PRESENCE OF SKELETAL MUSCLE


## CENTRAL NERVOUS SYSTEM

## LIST OF COLOUR PLATES

CEREBRUM
CEREBELLUM
SPINAL CORD
SENSORY GANGLION
AUTONOMIC GANGLION

## **CEREBRUM**







#### CEREBRUM

### POINTS FOR IDENTIFICATION

- 1. CEREBRAL CORTEX IS MADE UP OF SIX LAYERS
- 2. GRANULAR LAYER CONSISTS OF CLOSELY PACKED STELLATE CELLS
  - 3. INNER PYRAMIDAL LAYER CONSISTS OF LARGE PYRAMIDAL CELLS (BETZ CELLS)

## **CEREBELLUM**






### CEREBELLUM

## POINTS FOR IDENTIFICATION

- 1. MADE UP OF OUTER GREY MATTER AND INNER WHITE MATTER
  - 2. GREY MATTER (CORTEX) MADE UP OF THREE LAYERS MOLECULAR CELL LAYER, PURKINJE CELL LAYER AND GRANULAR CELL LAYER
    - 3. WHITE MATTER (MEDULLA) IS MADE UP OF AXONS

## SPINAL CORD




SPINAL CORD WHITE MATTER POSTERIOR FUNICULUS POSTERIOR WHITE COMMISSURE LATERAL FUNICULUS ANTERIOR WHITE COMMISSURE ANTERIOR FUNICULUS


### SPINAL CORD

## POINTS FOR IDENTIFICATION

- 1. PRESENCE OF GREY MATTER AND WHITE MATTER
- 2. GREY MATTER CONTAINS ANTERIOR AND POSTERIOR HORNS (LATERAL HORN IS PRESENT ONLY IN THE THORACIC SEGMENT)
- 3. WHITE MATTER CONTAINS ANTERIOR, LATERAL AND POSTERIOR FUNICULI
  4. PRESENCE OF CENTRAL CANAL

## SENSORY GANGLION







#### SENSORY GANGLION

### POINTS FOR IDENTIFICATION

- 1. LARGE NEURONS ARE SEEN ARRANGED IN THE PERIPHERY
  - 2. EACH NEURON IS SURROUNDED BY A LAYER OF SATELLITE CELLS
  - 3. CONNECTIVE TISSUE CAPSULE COVERS THE GANGLION

## **AUTONOMIC GANGLION**





### **AUTONOMIC GANGLION**

## POINTS FOR IDENTIFICATION

- 1. MEDIUM TO SMALL SIZED NEURONS ARE SEEN SCATTERED ALL OVER
- 2. SATELLITE CELLS ARE SEEN ARRANGED ON THE PERIPHERY OF THE NEURON BUT ARE NOT WELL DEFINED
  - 3. CONNECTIVE TISSUE CAPSULE COVERS THE GANGLION

# THANK YOU

## ACKNOWLEDGEMENTS

- 1. Herr Linus Torvalds for his magnanimous gesture
- 2. Messrs Canonical Inc The Concept, Design and Result of this work was done on Precise Pangolin
- 3. To all my blood brothers, Past, Present and Future of the 12th Battalion The Assam Regiment
  (Wangdung) of the Indian Army from where I derive
- (Wangdung) of the Indian Army from where I derive my inner strength
- 4. My family, friends, teachers and well wishers for their blessings

#### THIS BOOK IS FREE TO BE DISTRIBUTED AMONG ANYBODY ALL PARTS OF THIS CAN BE REPRODUCED WITHOUT THE NEED FOR ANY PERMISSION HOWEVER IN CASE ANY PART OF THIS BOOK IS QUOTED AS REFERENCE FOR AN ARTICLE OR TEXTBOOK IT IS REQUESTED TO GIVE DUE CREDIT TO THE AUTHOR IN CASE OF ANY ERRORS OR OMISSIONS ON PART OF THE AUTHOR, PLEASE E - MAIL AT elamsaytesenny@gmail.com THE AUTHOR WOULD OBLIGE IF THE STATED FACTS ARE ERRONEOUS THE STUDENTS WHO HANDLE THIS BOOK ARE ALSO REQUESTED TO REFER TO STANDARD TEXTBOOKS OF ANATOMY FOR FURTHER REFERENCE

### ANAND'S ATLAS OF HISTOLOGY

2013

# Anand's Atlas of Histology

Web version 1.0

Major.Dr.A.Anand